


Serie | 8, 嵌入式紧凑烤箱,
CBG635BS3



A+



Optional accessories
HEZ327000 :

纖巧型焗爐：即使在小空間，您也可以享受烹飪樂趣。

- 自動煮食模式 10: 助你輕鬆設定每個烹調細節 10.
- TFT display control 觸控顯示屏: 易於使用的觸控瀏覽功能
- EcoClean Direct: 特別內腔塗層背板, 令清潔輕而易舉
- SoftOpen and SoftClose: 緩衝式爐門開關設計

Technical data

Integrated Cleaning system :	No
Required niche size for installation (HxWxD) :	
	450-455 x 560-568 x 550
	455 x 594 x 548
Dimensions of the packed product (HxWxD) (mm) :	
	520 x 710 x 650
Control Panel Material :	Stainless steel
Door Material :	Glass
Net weight (kg) :	28.650
Usable volume of cavity (l) :	47
	, 4D hot air, Bottom heat, Conventional heat, Defrost, Full width grill, Half width grill, Hot Air-Eco, Hot air grilling, low temperature cooking, Pizza setting, pre-heating, warming
First cavity material :	Enamelled
Number of interior lights :	1
Approval certificates :	CE, VDE
Length electrical supply cord (cm) :	150
Interior Lights - cavity 1 :	1
Pull-out system :	Accessory
Clock function :	Alarm, Off, On
Broil Element Wattages cavity 1 (W) :	2800
Convection Element Wattages cavity 1 (W) :	1600
Energy consumption per cycle conventional (2010/30/EC) :	0.73
Energy consumption per cycle forced air convection (2010/30/EC) :	0.61
Energy efficiency index (2010/30/EC) :	81.3
Connection Rating (W) :	2990
	13
電壓 (V) :	220-240
Frequency (Hz) :	50; 60
Plug type :	Gardy plug w/ earthing
Approval certificates :	CE, VDE
Required cutout/niche size for installation (in) :	x x
Dimensions of the packed product (in) :	20.47 x 25.59 x 27.95
Net weight (lbs) :	63.000
Gross weight (lbs) :	68
Length electrical supply cord (cm) :	150
Net weight (kg) :	28.650
Gross weight (kg) :	31.0



Serie | 8, 嵌入式緊湊烤箱,
CBG635BS3

纖巧型焗爐：即使在小空間，您也可以享受烹飪樂趣。

程序/ 額外特點：

-13 加熱模式：

4D熱風，節能熱風，上下加熱，節能式熱風，熱風燒烤，全面燒烤，集中燒烤，烘烤冷藏食品，底部加熱，慢烤，解凍，暖碟，保溫

設計：

-DR按鈕控制

-3層冷觸式玻璃門 (40 ° C門溫)

-全玻璃門

-緩衝式開關門鉸，輕鬆開門，寧靜關門。

-棒狀手把

-null: EA

-內置鹵素燈，獨立爐腔燈開關制

-配備響鬧功能的時鐘

特點：

-配備ecoClean® Plus塗層背板

-自動烹調程式：10個

-NO_LOCALIZED_NAME

-溫度建議

實際溫度顯示

加熱溫度控制

個自動煮食程式

長時間保溫模式

-不銹鋼風扇

-控制面板安全鎖

安全關機功能

餘溫顯示

開始鍵

開關門感應系統

技術資料：

-總功率：2.99千瓦

-加熱溫度 30 GC - 300 GC

-容量：47升

-7: 爐腔備有爐架及伸縮層架




-NO_VALUE

尺寸 (高 x 闊 x 深)：


-455 MM x 594 MM x 548 MM

- “請參考安裝圖紙中提供的開孔尺寸”

Serie | 8, 嵌入式紧凑烤箱,
CBG635BS3



單爐面安裝。



爐面底下若有安裝其他套裝產品，則須遵照以下工作檯面厚度（視情況可能連同底部結構）。

爐面類型	工作檯面最小厚度	
	爐架型	平面型
爐頭可變電磁式烹調爐具	42 mm	43 mm
全平面式 爐頭可變電磁式烹調爐具	52 mm	53 mm
煤氣爐口	32 mm	43 mm
電磁式爐口	32 mm	35 mm